

Extensometer



FEATURES

- Strain gage based sensor
- Alloy steel construction
- 2 bolt holes
- IP67 Hermetically sealed protection

OPTIONAL FEATURE

- Redundant sensor (model 176)
- Digital output (LIN-Bus)

DESCRIPTION

The 174 extensometer is a sensor used for safety applications in lifting devices.

This product is used widely in many lifting machines, telescopic loaders and any other moment sensitive lifting device.

The 174 extensometer is a strain gage based sensor. It can be supplied with analog or digital output.

The digital version is supplied widely as set


together with the model LMI521 display.

The 174 extensometer is usually installed on the rear side of the device and it measures the load decrease on the rear shaft.

APPLICATIONS

- Lifting machines
- Telescopic loaders

OUTLINE DIMENSIONS in millimeters



Extensometer

SPECIFICATIONS		
PARAMETER	VALUE	UNIT
Calibrated output	1.0	mV/V at 500 $\mu\epsilon$
Overload capability (zero)	300	% of rated output
Overload capability (max)	500	% of rated output
Input resistance	385 \pm 10	Ω
Output resistance	350 \pm 10	Ω
Insulation resistance	>2000	M Ω
Excitation, recommended	10	Vdc
Excitations, range	5-20	Vdc
Thermal effect on zero	0.025	\pm % of FSO/ $^{\circ}$ C
Compensated temperature range	-30 to +80	$^{\circ}$ C
Construction	Painted steel	
Environmental protection	IP67	

Disclaimer

All product specifications and data are subject to change without notice.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay Precision Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay Precision Group disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay Precision Group's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay Precision Group.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay Precision Group products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay Precision Group for any damages arising or resulting from such use or sale. Please contact authorized Vishay Precision Group personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.