


Displacement Transducer

FEATURES

- AC-transducers suitable for most general applications
- Large core-to-bore clearance simplifies obtaining friction-less operation
- Non-magnetic tube may be interposed between the coil and core, allowing them to be different mediums
- Magnetic stainless steel housing provides electromagnetic and electrostatic shielding




SPECIFICATIONS		SPECIFICATIONS	
PARAMETER	VALUE	PARAMETER	VALUE
Input Voltage	3.0 V _{RMS} (nominal)	Null Voltage	<0.5% of FSO
Frequency Range	2.5 to 3.0 kHz	Temperature Range	-55°C to +105°C
Linearity Error	<±0.25% of FRO	Thermal Coefficient of Sensitivity	0.02% C
Repeatability Error	<0.01% of FSO	Vibration Tolerance	20 g to 2 kHz



DENOMINATION	LINEAR RANGE (mm)	DIMENSIONS (mm) L _{BODY}	DIMENSIONS (mm) L _{CORE}	PRIM. IMP. (Ω)	SENSITIVITY (mVN/mm)	ART. NO.
RAG ±1.25/50-M	0-2.5	28.7	20.3	400	255	1 132 326
RAG ±2.5/100-M	0-5	44.5	31.7	1000	155	1 132 327
RAG ±5.0/200-M	0-10	63.5	41.9	1900	95	1 132 328
RAG ±7.5/300-M	0-15	81.8	49.5	780	51	1 132 329
RAG ±12.5/500-M	0-25	127.5	87.6	1400	25	1 132 330
RAG ±25/1000-M	0-50	165.4	87.6	1650	25	1 132 331
RAG ±50/2000-M	0-100	254.5	134.6	1875	15	1 132 332
RAG ±60/2500-M	0-120	282.7	134.6	875	9.2	1 132 333
RAG ±75/3000-M	0-150	323.9	157.5	3300	10	1 132 334
RAG ±100/4000-M	0-200	386.1	157.5	425	7.1	1 132 335
RAG ±125/5000-M	0-250	450.9	157.5	1050	5.1	1 132 337
RAG 250/10000-M	0-500	778.3	241.3	1050	3.1	1 132 338

Displacement Transducer



ACCESSORIES	ART NO
Mounting Attachment	6 327 553
Mounting Attachment with Connector	5 155 991
Core Handle, Length 400 mm	6 330 416
Connection Cable with Connector	110 411
LVD Signal Conditioner, LVD 3	110 171



Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.